

## **Author Index**

Allen, G.W., Liu, J.-W. and De León, M.
Depletion of a fatty acid-binding protein impairs neurite outgrowth in PC12 cells (76) 315

Almendral, J.-M., see Frechilla, D. (76) 306 Altschuler, R.A., see Stöver, T. (76) 25 Ardenghi, P., see Cammarota, M. (76) 36 Aunis, D., see Tasiemski, A. (76) 237

Baethmann, A., see Winkler, A.S. (76) 419
Bansinath, M., see Trapaidze, N. (76) 220
Beck, M., see Bigl, M. (76) 411
Bell-Horner, C.L., Dibas, M., Huang, R.-Q.,
Drewe, J.A. and Dillon, G.H.
Influence of subunit configuration on the
interaction of picrotoxin-site ligands with
recombinant GABA<sub>A</sub> receptors (76) 47
Benboudjema, L., see Dandoy-Dron, F. (76)

Bethea, C.L., see Gundlah, C. (76) 191Bevilaqua, L.R.M., see Cammarota, M. (76) 36Bezin, L., Marcel, D., Desgeorges, S., Pujol, J.-F. and Weissmann, D.

Berman, S.A., see Bursztajn, S. (76) 363

173

Singular subsets of locus coeruleus neurons may recover tyrosine hydroxylase phenotype transiently expressed during development (76) 275

Bigl, M., Beck, M., Bleyl, A.D., Bigl, V. and Eschrich, K.

Altered phosphofructokinase mRNA levels but unchanged isoenzyme pattern in brains from patients with Alzheimer's disease (76) 411

Bigl, V., see Bigl, M. (76) 411

Bleyl, A.D., see Bigl, M. (76) 411 Blitzer, R.D., Wong, T., Giovannini, M.G.,

Pangalos, M.N., Robakis, N.K. and Landau, E.M.

Amyloid  $\beta$  peptides activate the phosphoinositide signaling pathway in oocytes expressing rat brain RNA (76) 115

Brené, S., see Werme, M. (76) 18 Brentani, R.R., see Graner, E. (76) 85 Britto, L.R.G., see Pires, R.S. (76) 341 Broome, B.M., see Hegde, A.N. (76) 424

Brown, I.R., see Mothe, A.J. (76) 73
Burghaus, L., Schütz, U., Krempel, U., De Vos, R.A.I., Jansen Steur, E.N.H., Wevers, A., Lindstrom, J. and Schröder, H.

Quantitative assessment of nicotinic acetylcholine receptor proteins in the cerebral cortex of Alzheimer patients (76) 385

Bursztajn, S., Feng, J.-J., Berman, S.A. and Nanda, A.Poly (ADP-ribose) polymerase induction is an early signal of apoptosis in human neuroblastoma (76) 363

Cabral, A.L.B., see Graner, E. (76) 85
Cadet, M., see Tasiemski, A. (76) 237
Cammarota, M., Bevilaqua, L.R.M., Ardenghi, P., Paratcha, G., Levi de Stein, M., Izquierdo, I. and Medina, J.H.
Learning-associated activation of nuclear MAPK, CREB and Elk-1, along with Fos production, in the rat hippocampus after a one-trial avoidance learning: abolition by NMDA receptor blockade (76) 36

Castelo, V.T., see Holsinger, R.M.D. (76) 347 Chaturvedi, K., Shahrestanifar, M. and Howells, R.D. μ Opioid receptor: role for the amino terminus as a determinant of ligand binding affin-

ity (76) 64
Che, Y.H., Tamatani, M. and Tohyama, M.
Changes in mRNA for post-synaptic density-95 (PSD-95) and carboxy-terminal PDZ ligand of neuronal nitric oxide synthase following facial nerve transection (76) 325

Chen, H.-C., Seybold, V.S. and Loh, H.H. An autoradiographic study in μ-opioid receptor knockout mice (76) 170

Cho, Y., see Stöver, T. (76) 25 Cooper, N.G.F., see Laabich, A. (76) 253 Curthoys, N.P., see Holcomb, T. (76) 56 Cvejic, S., see Trapaidze, N. (76) 220

Dandoy-Dron, F., Benboudjema, L., Guillo, F., Jaegly, A., Jasmin, C., Dormont, D., Tovey, M.G. and Dron, M.
Enhanced levels of scrapie responsive gene mRNA in BSE-infected mouse brain (76) 173

Date, Y., Mondal, M.S., Matsukura, S., Ueta, Y., Yamashita, H., Kaiya, H., Kangawa, K. and Nakazato, M.
Distribution of orexin/hypocretin in the rat median eminence and pituitary (76) 1
De León, M., see Allen, G.W. (76) 315

Deloffre, L., see Salzet, M. (76) 161
Del Río, J., see Frechilla, D. (76) 306
DeMarchi, M., see Piccinini, M. (76) 103
Desgeorges, S., see Bezin, L. (76) 275
Devi, L.A., see Trapaidze, N. (76) 220
De Vos, R.A.I., see Burghaus, L. (76) 385
Dibas, M., see Bell-Horner, C.L. (76) 47
Dillon, G.H., see Bell-Horner, C.L. (76) 47
Dormont, D., see Dandoy-Dron, F. (76) 173
Drescher, D.G., see Drescher, M.J. (76) 289
Drescher, M.J., Khan, K.M., Hatfield, J.S.,

Shakir, A.H. and Drescher, D.G.
Immunohistochemical localization of adenylyl cyclase isoforms in the lateral wall of the rat cochlea (76) 289

Drewe, J.A., see Bell-Horner, C.L. (76) 47 Dron, M., see Dandoy-Dron, F. (76) 173 Duvoisin, R.M., see Pires, R.S. (76) 341

Ekinci, F.J., Linsley, M.-D. and Shea, T.B. β-Amyloid-induced calcium influx induces apoptosis in culture by oxidative stress rather than tau phosphorylation (76) 389

Eraković, V., Župan, G., Varljen, J., Radošević, S. and Simonić, A.
Electroconvulsive shock in rats: changes in superoxide dismutase and glutathione peroxidase activity (76) 266

Eschrich, K., see Bigl, M. (76) 411

Fahnestock, M., see Holsinger, R.M.D. (76)

Feng, J.-J., see Bursztajn, S. (76) 363 Foo, H. and Helmstetter, F.J.

Expression of antinociception in response to a signal for shock is blocked after selective downregulation of  $\mu$ -opioid receptors in the rostral ventromedial medulla (76) 282

Forlenza, O.V., see Graner, E. (76) 85

Frechilla, D., Insausti, R., Ruiz-Golvano, P., García-Osta, A., Rubio, M.-P., Almendral, J.-M. and Del Río, J.

Implanted BDNF-producing fibroblasts prevent neurotoxin-induced serotonergic denervation in the rat striatum (76) 306

Fujimiya, M., see Oyasu, M. (76) 151 Fung, M.-L., see Xia, Y. (76) 211

García-Osta, A., see Frechilla, D. (76) 306 Garyfallou, V.T., see Gundlah, C. (76) 191 Gaudreau, P., see Hersi, A.I. (76) 336
Giovannini, M.G., see Blitzer, R.D. (76) 115
Gomes, I., see Trapaidze, N. (76) 220
Gong, T.-W.L., see Stöver, T. (76) 25
Goumon, Y., see Tasiemski, A. (76) 237
Graner, E., Mercadante, A.F., Zanata, S.M.,
Forlenza, O.V., Cabral, A.L.B., Veiga, S.S.,
Juliano, M.A., Roesler, R., Walz, R.,
Minetti, A., Izquierdo, I., Martins, V.R. and
Brentani, R.R.
Cellular prion protein binds laminin and
mediates neuritogenesis (76) 85

Grant, P., see Veeranna, G.J. (76) 229 Guenther, E., see Jabs, R. (76) 205 Guenther, E., see H. Wheeler-Schilling, T. (76) 415

Guilarte, T.R., McGlothan, J.L. and Nihei, M.K. Hippocampal expression of *N*-methyl-D-aspartate receptor (NMDAR1) subunit splice variant mRNA is altered by developmental exposure to Pb<sup>2+</sup> (76) 299

Guillo, F., see Dandoy-Dron, F. (76) 173 Gundlah, C., Kohama, S.G., Mirkes, S.J., Garyfallou, V.T., Urbanski, H.F. and Bethea, C.L.

Distribution of estrogen receptor beta (ERβ) mRNA in hypothalamus, midbrain and temporal lobe of spayed macaque: continued expression with hormone replacement (76) 191

Haddad, G.G., see Xia, Y. (76) 211
Hampson, D.R., see Peltekova, V. (76) 180
Han, G., see Peltekova, V. (76) 180
Hatfield, J.S., see Drescher, M.J. (76) 289
Hausmann, A., Weis, C., Marksteiner, J., Hinterhuber, H. and Humpel, C.
Chronic repetitive transcranial magnetic stimulation enhances c-fos in the parietal cortex and hippocampus (76) 355
Heape, A.M., see Kursula, P. (76) 407
Hegde, A.N., Broome, B.M., Qiang, M. and Schwartz, J.H.
Structure and expression of the *Aplysia* polyubiquitin gene (76) 424
Helmstetter, F.J., see Foo, H. (76) 282
Henry, P. see Holsinger, P.M.D. (76) 347

Helmstetter, F.J., see Foo, H. (76) 282 Henry, P., see Holsinger, R.M.D. (76) 347 Hersi, A.I., Kitaichi, K., Srivastava, L.K., Gau-

dreau, P. and Quirion, R.

Dopamine D-5 receptor modulates hippocampal acetylcholine release (76) 336

 Hinterhuber, H., see Hausmann, A. (76) 355
 Holcomb, T., Taylor, L., Trohkimoinen, J. and Curthoys, N.P.

Isolation, characterization and expression of a human brain mitochondrial glutaminase cDNA (76) 56

Holsinger, R.M.D., Schnarr, J., Henry, P., Castelo, V.T. and Fahnestock, M. Quantitation of BDNF mRNA in human parietal cortex by competitive reverse transcription-polymerase chain reaction: decreased levels in Alzheimer's disease (76) 347

Honda, S., see López-Redondo, F. (76) 429 Howells, R.D., see Chaturvedi, K. (76) 64 Huang, R.-Q., see Bell-Horner, C.L. (76) 47 Huh, S.-O., see Won, J.-S. (76) 396
Humpel, C., see Hausmann, A. (76) 355
H. Wheeler-Schilling, T., Marquordt, K., Kohler, K., Jabs, R. and Guenther, E. Expression of purinergic receptors in bipolar cells of the rat retina (76) 415

Insausti, R., see Frechilla, D. (76) 306 Izquierdo, I., see Cammarota, M. (76) 36 Izquierdo, I., see Graner, E. (76) 85

Jabs, R., Guenther, E., Marquordt, K. and Wheeler-Schilling, T.H.
Evidence for P2X<sub>3</sub>, P2X<sub>4</sub>, P2X<sub>5</sub> but not for P2X<sub>7</sub> containing purinergic receptors in Müller cells of the rat retina (76) 205
Jabs, R., see H. Wheeler-Schilling, T. (76) 415
Jaegly, A., see Dandoy-Dron, F. (76) 173
Jansen Steur, E.N.H., see Burghaus, L. (76) 385
Jasmin, C., see Dandoy-Dron, F. (76) 173

Juliano, M.A., see Graner, E. (76) 85

Kaiya, H., see Date, Y. (76) 1
Kangawa, K., see Date, Y. (76) 1
Kempski, O., see Winkler, A.S. (76) 419
Khan, K.M., see Drescher, M.J. (76) 289
Kikkawa, U., see Oyasu, M. (76) 151
Kim, Y.-H., see Won, J.-S. (76) 396
Kimelberg, H.K., see Zhou, M. (76) 121
Kitaichi, K., see Hersi, A.I. (76) 336
Koch, T., see Wrynn, A.S. (76) 7
Kohama, S.G., see Gundlah, C. (76) 191
Kohler, K., see H. Wheeler-Schilling, T. (76)
415
Köhling, R., see Musshoff, U. (76) 377

Kohsaka, S., see López-Redondo, F. (76) 429
Korf, J., see Wrynn, A.S. (76) 7
Kouzu, Y., Moriya, T., Takeshima, H., Yoshioka, T. and Shibata, S.
Mutant mice lacking ryanodine receptor type 3 exhibit deficits of contextual fear conditioning and activation of calcium/calmodulin-dependent protein kinase II in the hippocampus (76) 142

Krempel, U., see Burghaus, L. (76) 385 Kuroda, S., see Oyasu, M. (76) 151

Kursula, P., Lehto, V.-P. and Heape, A.M. S100β inhibits the phosphorylation of the L-MAG cytoplasmic domain by PKA (76)

Laabich, A., Li, G. and Cooper, N.G.F.
Calcium/calmodulin-dependent protein kinase II containing a nuclear localizing signal is altered in retinal neurons exposed to N-methyl-D-aspartate (76) 253

Landau, E.M., see Blitzer, R.D. (76) 115

Lee, J.-K., see Won, J.-S. (76) 396

Lehto, V.-P., see Kursula, P. (76) 407

Leonard, B.E., see Wrynn, A.S. (76) 7

Levi de Stein, M., see Cammarota, M. (76) 36

Li, G., see Laabich, A. (76) 253

Lindstrom, J., see Burghaus, L. (76) 385

Linsley, M.-D., see Ekinci, F.J. (76) 389

Liu, I.S.C., see Seeman, P. (76) 132

Liu, J.-W., see Allen, G.W. (76) 315

Loh, H.H., see Chen, H.-C. (76) 170
Lomax, M.I., see Stöver, T. (76) 25
López-Redondo, F., Nakajima, K., Honda, S. and Kohsaka, S.
Glutamate transporter GLT-1 is highly expressed in activated microglia following facial nerve axotomy (76) 429

Marcel, D., see Bezin, L. (76) 275

Marksteiner, J., see Hausmann, A. (76) 355

Marquordt, K., see Jabs, R. (76) 205

Marquordt, K., see H. Wheeler-Schilling, T. (76) 415

Martins, V.R., see Graner, E. (76) 85

Matsukura, S., see Date, Y. (76) 1

Matsukura, S., see Date, Y. (76) 1 McGlothan, J.L., see Guilarte, T.R. (76) 299 Medina, J.H., see Cammarota, M. (76) 36 Mercadante, A.F., see Graner, E. (76) 85 Metz-Boutigue, M.-H., see Tasiemski, A. (76)

Minami, M., see Nakamoto, H. (76) 93 Minetti, A., see Graner, E. (76) 85 Mirkes, S.J., see Gundlah, C. (76) 191 Mondal, M.S., see Date, Y. (76) 1 Moriya, T., see Kouzu, Y. (76) 142 Mostert, M., see Piccinini, M. (76) 103 Mothe, A.J. and Brown, I.R.

Selective transport of SC1 mRNA, encoding a putative extracellular matrix glycoprotein, during postnatal development of the rat cerebellum and retina (76) 73

Musshoff, U., Schünke, U., Köhling, R. and Speckmann, E.-J. Alternative splicing of the NMDAR1 glutamate receptor subunit in human temporal lobe epilepsy (76) 377

Musso, A., see Piccinini, M. (76) 103

Nakajima, K., see López-Redondo, F. (76) 429
Nakamoto, H., Soeda, Y., Takami, S., Minami, M. and Satoh, M.
Localization of calcitonin receptor mRNA in the mouse brain: coexistence with serotonin transporter mRNA (76) 93
Nakashita, M., see Oyasu, M. (76) 151
Nakazato, M., see Date, Y. (76) 1
Nam, D., see Seeman, P. (76) 132
Nanda, A., see Bursztajn, S. (76) 363
Nihei, M.K., see Guilarte, T.R. (76) 299

Olson, L., see Werme, M. (76) 18
O'Reilly, J.P., see Xia, Y. (76) 211
Oyasu, M., Kuroda, S., Nakashita, M., Fujimiya, M., Kikkawa, U. and Saito, N. Immunocytochemical localization of a neuron-specific thrombospondin-1-like protein, NELL2: light and electron microscopic studies in the rat brain (76) 151

Pangalos, M.N., see Blitzer, R.D. (76) 115
Pant, H.C., see Veeranna, G.J. (76) 229
Paratcha, G., see Cammarota, M. (76) 36
Peltekova, V., Han, G., Soleymanlou, N. and Hampson, D.R.
Constraints on proper folding of the amino terminal domains of group iii metabotropic glutamate receptors (76) 180

Peters, J., see Winkler, A.S. (76) 419
Piccinini, M., Tazartes, O., Mostert, M., Musso, A., DeMarchi, M. and Rinaudo, M.T.
Structural and functional characterization of 20S and 26S proteasomes from bovine brain (76) 103

(76) 103
Pires, R.S., Rebouças, N.A., Duvoisin, R.M. and Britto, L.R.G.
Retinal lesions induce differential changes in the expression of *flip* and *flop* isoforms of the glutamate receptor subunit GluR1 in the chick optic tectum (76) 341
Pujol, J.-F., see Bezin, L. (76) 275

Qiang, M., see Hegde, A.N. (76) 424 Quirion, R., see Hersi, A.I. (76) 336

Radošević, S., see Eraković, V. (76) 266 Rebouças, N.A., see Pires, R.S. (76) 341 Rinaudo, M.T., see Piccinini, M. (76) 103 Robakis, N.K., see Blitzer, R.D. (76) 115 Roesler, R., see Graner, E. (76) 85 Rubio, M.-P., see Frechilla, D. (76) 306 Ruiz-Golvano, P., see Frechilla, D. (76) 306

Saito, N., see Oyasu, M. (76) 151 Salzet, M. and Deloffre, L. PLGamide characterization and role in osmoregulation in leech brain (76) 161 Salzet, M., see Tasiemski, A. (76) 237 Satoh, M., see Nakamoto, H. (76) 93 Schnarr, J., see Holsinger, R.M.D. (76) 347 Schools, G.P., see Zhou, M. (76) 121 Schröder, H., see Burghaus, L. (76) 385 Schünke, U., see Musshoff, U. (76) 377 Schütz, U., see Burghaus, L. (76) 385 Schwartz, J.H., see Hegde, A.N. (76) 424 Sebens, J.B., see Wrynn, A.S. (76) 7 Seeman, P., Nam, D., Ulpian, C., Liu, I.S.C. and Tallerico, T. New dopamine receptor, D2<sub>Longer</sub>, with unique TG splice site, in human brain (76)

Seybold, V.S., see Chen, H.-C. (76) 170

Shakir, A.H., see Drescher, M.J. (76) 289

Shea, T.B., see Ekinci, F.J. (76) 389

Shahrestanifar, M., see Chaturvedi, K. (76) 64

Shetty, K.T., see Veeranna, G.J. (76) 229 Shibata, S., see Kouzu, Y. (76) 142 Simonić, A., see Eraković, V. (76) 266 Soeda, Y., see Nakamoto, H. (76) 93 Soleymanlou, N., see Peltekova, V. (76) 180 Song, D.-K., see Won, J.-S. (76) 396 Speckmann, E.-J., see Musshoff, U. (76) 377 Srivastava, L.K., see Hersi, A.I. (76) 336 Staub, F., see Winkler, A.S. (76) 419 Stefano, G.B., see Tasiemski, A. (76) 237 Stöver, T., Gong, T.-W.L., Cho, Y., Altschuler, R.A. and Lomax, M.I. Expression of the GDNF family members and their receptors in the mature rat cochlea (76) 25Suh, H.-W., see Won, J.-S. (76) 396

Takahashi, M., see Veeranna, G.J. (76) 229 Takami, S., see Nakamoto, H. (76) 93 Takeshima, H., see Kouzu, Y. (76) 142 Tallerico, T., see Seeman, P. (76) 132 Tamatani, M., see Che, Y.H. (76) 325 Tasiemski, A., Verger-Bocquet, M., Cadet, M., Goumon, Y., Metz-Boutigue, M.-H., Aunis, D., Stefano, G.B. and Salzet, M. Proenkephalin A-derived peptides in invertebrate innate immune processes (76) 237 Taylor, L., see Holcomb, T. (76) 56 Tazartes, O., see Piccinini, M. (76) 103 Tohyama, M., see Che, Y.H. (76) 325 Tovey, M.G., see Dandoy-Dron, F. (76) 173 Trapaidze, N., Gomes, I., Cvejic, S., Bansinath, M. and Devi, L.A. Opioid receptor endocytosis and activation of MAP kinase pathway (76) 220 Trohkimoinen, J., see Holcomb, T. (76) 56

Ueta, Y., see Date, Y. (76) 1 Ulpian, C., see Seeman, P. (76) 132 Urbanski, H.F., see Gundlah, C. (76) 191

Varljen, J., see Eraković, V. (76) 266
Veeranna, G.J., Shetty, K.T., Takahashi, M.,
Grant, P. and Pant, H.C.
Cdk5 and MAPK are associated with complexes of cytoskeletal proteins in rat brain (76) 229

Veiga, S.S., see Graner, E. (76) 85 Verger-Bocquet, M., see Tasiemski, A. (76) 237

Walz, R., see Graner, E. (76) 85
Weis, C., see Hausmann, A. (76) 355
Weissmann, D., see Bezin, L. (76) 275
Werme, M., Olson, L. and Brené, S.
NGFI-B and Nor1 mRNAs are upregulated in brain reward pathways by drugs of abuse: different effects in Fischer and Lewis rats (76) 18

Wevers, A., see Burghaus, L. (76) 385
Wheeler-Schilling, T.H., see Jabs, R. (76) 205
Winkler, A.S., Baethmann, A., Peters, J.,
Kempski, O. and Staub, F.
Mechanisms of arachidonic acid induced
glial swelling (76) 419

Won, J.-S., Kim, Y.-H., Song, D.-K., Huh, S.-O., Lee, J.-K. and Suh, H.-W. Stimulation of astrocyte-enriched culture with arachidonic acid increases proenkephalin mRNA: involvement of proto-oncoprotein and mitogen activated protein kinases (76) 396

Wong, T., see Blitzer, R.D. (76) 115
Wrynn, A.S., Sebens, J.B., Koch, T., Leonard, B.E. and Korf, J.
Prolonged c-Jun expression in the basolateral amygdala following bulbectomy: possible implications for antidepressant activity and time of onset (76) 7

Xia, Y., Fung, M.-L., O'Reilly, J.P. and Haddad, G.G.
 Increased neuronal excitability after long-term O<sub>2</sub> deprivation is mediated mainly by sodium channels (76) 211

Yamashita, H., see Date, Y. (76) 1 Yoshioka, T., see Kouzu, Y. (76) 142

Zanata, S.M., see Graner, E. (76) 85 Zhou, M., Schools, G.P. and Kimelberg, H.K. GFAP mRNA positive glia acutely isolated from rat hippocampus predominantly show complex current patterns (76) 121 Župan, G., see Eraković, V. (76) 266

